

	A	B	C	D
1	Common - (Quote)	Botanical	Hardiness	Uses
2	Anemone, Rue (Qt.)	Anemonella thalictroides	P4	DR, FP, LB, NP, WG
3	Aster, Heart-Leaved (Qt.)	Aster cordifolius	P3	BF, CF, DR, DT, FP, LB, NP
4	Aster, New England (Qt.)	Aster novae-angliae	P3	BF, CF, DR, DT, FP, LB, NP
5	Aster, 'Purple Dome' (Qt.)	Aster novae-angliae `Purple Dome'	P3	BF, CF, DR, DT, FP, LB, NP
6	Baptisia, Blue (Qt.)	Baptisia australis	P3	BF, D, DR, DT, FP, NP
7	Baptisia, Prairie (Qt.)	Baptisia lactea	P4	BF, DR, DT, FP, NP
8	Baptisia, 'Solar Flare' (2Q)	Baptisia `Solar Flare Prairieblues'	P4	BF, DR, DT, FP, NP
9	Bearberry (2Q) (Uva-Ursi)	Arctostaphylos uva-ursi	P2	BF, DR, FP, GC, HB, M, NP, WG
10	Bee Balm, 'Jacob Cline' (Qt.)	Monarda `Jacob Cline'	P4	CF, DR, DT, FP, HB, LB, MR, NP
11	Bergamont, Wild (Qt.)	Monarda fistulosa	P3	BF, C, CF, DR, DT, HB, LB, M, NP
12	Blazing Star, Prairie (Qt.)	Liatris pycnostachya	P3	BF, DF, DR, DT, FP, LB, NP
13	Blue Star, Narrow-Leaf (Qt.)	Amsonia hubrichtii	P4	DR, FP, NP
14	Blue Star, Willow-Leaf (Qt.)	Amsonia tabernaemontana salicifolia	P4	DR, FP, NP
15	Blueberry, 'Jersey' (6Q)	Vaccinium corymbosum `Jersey'	P5	C, FP, M, NP
16	Boneset (Qt.)	Eupatorium perfoliatum	P4	BF, CF, DF, DR, FP, LB, MT, NP
17	Butterfly Weed, Orange (2Q)	Asclepias tuberosa	P3	BF, D, DR, DT, FP, HB, IU, LB, M, NP
18	Butterfly Weed, Pink (Qt.)	Asclepias incarnata	P5	BF, DR, FP, HB, LB, M, MT, NP
19	Cactus, Pincushion (Qt.)	Coryphantha vivipara	P4	DR, DT, FP, NP
20	Cardinal Flower, Blue (Qt.)	Lobelia siphilitica	P5	DR, FP, HB, M, NP, WG
21	Cardinal Flower, Red (Qt.)	Lobelia cardinalis	P3	BF, DR, HB, FP, MT, NP
22	Celandine Poppy (Qt.)	Stylophorum diphyllum	P4	FP, NP
23	Chocolate Flower (Qt.)	Berlandiera lyrata	P6	DR, F, FP, LB, NP
24	Cohosh, Black (Qt.)	Cimicifuga racemosa	P3	BF, DR, FP, M, MT, NP, WG
25	Columbine, Native, Eastern Red (Qt.)	Aquilegia canadensis	P3	BF, CF, DR, FP, HB, NP, MT, WG
26	Columbine, Rocky Mountain (Qt.)	Aquilegia caerulea	P3	BF, CF, DR, FP, HB, NP, MT, WG
27	Cone Flower, 'Green Twister' (Qt.)	Echinacea purpurea `Green Twister'	P4	BF, CF, DF, DR, DT, FP, LB, NP
28	Cone Flower, 'Merlot' (Qt.)	Echinacea purpurea `Merlot'	P4	BF, DF, DR, DT, F, LB, NP
29	Cone Flower, Purple (Qt.)	Echinacea purpurea	P3	BF, CF, DR, DT, FP, LB, M, NP
30	Cone Flower, Tennessee (Qt.)	Echinacea tennesseensis	P4	BF, CF, DR, DT, FP, LB, NP

	A	B	C	D
1	Common - (Quote)	Botanical	Hardiness	Uses
31	Cone Flower, 'White Swan' (Qt.)	Echinacea purpurea `White Swan'	P3	BF, CF, DR, DT, FP, LB, NP
32	Cone Flower, Yellow (Qt.)	Echinacea paradoxa	P3	BF, CF, DR, DT, LB, NP
33	Coreopsis, 'Moonbeam' (Qt.)	Coreopsis verticillata `Moonbeam'	P4	BF, CF, DR, DT, FP, LB, NP
34	Coreopsis, 'Zagreb' (Qt.)	Coreopsis verticillata `Zagreb'	P4	BF, CF, DR, DT, FP, LB, NP
35	Cranberry, American, 'Pilgrim' (2Q)	Vaccinium macrocarpon `Pilgrim'	P4	C, EG, FP, GC, M, NP
36	Culver's Root (Qt.)	Veronicastrum virginicum	P3	DR, FP, M, NP
37	Elderberry (Qt.)	Sambucus canadensis	P3	C, DR, HB, M, MT, NP
38	Eryngium, Rattlesnake Master (Qt.)	Eryngium yuccifolium	P5	DR, DT, FP, LB, NP
39	Eupatorium, 'Baby Joe' (Qt.)	Eupatorium dubium `Baby Joe'	P4	BF, DR, FP, LB, MT, WG, NP
40	Eupatorium, 'Chocolate' (Qt.)	Eupatorium rugosum `Chocolate'	P4	BF, DR, FP, LB, MT, WG, NP
41	Fern, Christmas (2Q)	Polystichum acrostichoides	P3	DR, EG, GC, MT, NP
42	Fern, Cinnamon (Qt.)	Osmunda cinnamomea	P3	C, DR, FP, GC, MT, NP
43	Fern, Deer (Qt.)	Blechnum spicant	P5	DR, FP, GC, MT, NP, WG
44	Fern, Eastern Wood (2Q)	Dryopteris marginalis	P3	DR, EG, GC, MT, WG, NP
45	Fern, Hart's Tongue (Qt.)	Asplenium (Phyllitis) scolopendrium	P3	DR, GC, MT, NP, WG
46	Fern, 'Lady in Red' (Qt.)	Athyrium filix-femina `Lady in Red' (augustum forma rubellum)	P3	DR, FP, GC, MT, NP, O
47	Fern, Lady, Dwarf (Qt.)	Athyrium filix-femina `Minutissimum'	P4	DR, GC, MT, NP, O, WG
48	Fern, Lady, 'Victoria' (Qt.)	Athyrium filix-femina `Victoriae'	P4	DR, GC, MT, NP, O, WG
49	Fern, Maidenhair, Five-Fingered (2Q)	Adiantum pedatum	P3	DR, FP, GC, MT, NP
50	Fern, Ostrich (2Q)	Matteuccia struthiopteris	P2	C, DR, FP, M, MT, NP, WG
51	Fern, Royal, American (Qt.)	Osmunda regalis spectabilis	P2	DR, FP, GC, MT, NP
52	Fern, Sensitive (Qt.)	Onoclea sensibilis	P4	DR, GC, MT, NP
53	Fern, Sweet (3Q)	Comptonia peregrina	P4	C, DR, F, FP, M, NP
54	Feverfew, American (Qt.) (Wild Quinine)	Parthenium integrifolium	P3	DR, FP, M, NP
55	Foam Flower, North American (Qt.)	Tiarella cordifolia	P3	CF, DR, FP, GC, LB, NP, WG
56	Gaura, 'Siskiyou Pink' (Qt.)	Gaura lindheimeri `Siskiyou Pink'	P6	DR, DT, FP, LB, NP
57	Gaura, 'Whirling Butterflies' (Qt.)	Gaura lindheimeri `Whirling Butterflies'	P6	DR, DT, FP, LB, NP
58	Geum, Prairie Smoke (Qt.)	Geum triflorum	P3	BF, DR, FP, MT, NP
59	Ginger, Arifolium (Qt.)	Asarum arifolium	P5	DR, FP, NP, WG
60	Ginger, Wild (Qt.)	Asarum canadense	P3	DR, FP, M, MT, NP, WG
61	Goldenrod, 'Crown of Rays' (Qt.)	Solidago `Crown of Rays'	P4	BF, CF, DT, DR, FP, NP?

	A	B	C	D
1	Common - (Quote)	Botanical	Hardiness	Uses
62	Goldenrod, 'Fireworks' (Qt.)	Solidago rugosa `Fireworks'	P4	BF, CF, D, DT, DR, FP, NP
63	Goldenseal (Qt.)	Hydrastis canadensis	P4	D, DR, M, NP
64	Helianthus, 'Lemon Queen' (Qt.)	Helianthus `Lemon Queen'	P5	CF, DT, FP, LB, NP
65	Heliopsis, 'Bleeding Hearts' (Qt.)	Heliopsis helianthoides scabra `Bleeding Hearts'	P3	CF, DT, FP, LB, NP
66	Horsetail, Common (Qt.)	Equisetum hyemale	P3	DR, IU, M, MT, NP, O, WG
67	Horsetail, Dwarf (Qt.)	Equisetum scirpoides	P5	DR, MT, NP, O, WG
68	Huckleberry, Black (3Q)	Gaylussacia baccata	P5	C, DR, FP, M, NP
69	Hyssop, Anise	Agastache foeniculum	P6	BF, C, DR, F, FP, HB, LB, NP
70	Indian Cup (Qt.) (Cup Plant)	Silphium perfoliatum	P4	DR, IU, M, MT, NP
71	Ironweed, New York (2Q)	Vernonia noveboracensis	P5	BF, DR, FP, MT, NP
72	Jacob's Ladder, North American (Qt.)	Polemonium reptans	P3	DR, FP, GC, M, NP, WG
73	Jacob's Ladder, Variegated, 'Stairway to Heaven' (Qt.)	Polemonium reptans `Stairway to Heaven'	P3	BF, CF, DR, FP, NP, O, WG
74	Joe-Pye Weed (Qt.)	Eupatorium purpureum	P3	BF, CF, DF, DR, FP, LB, MT, NP, WG
75	Labrador Tea (3Q)	Rhododendron (Ledum) groenlandicum	P2	BF, C, DR, F, FP, M, NP
76	Lady's Slipper, Pink (Qt.) (XL) (Needs Acidic)	Cypripedium acaule	P3	FP, MT, NP, WG
77	Liatris, 'Floristan White' (Qt.)	Liatris spicata `Floristan Weiss'	P3	BF, DF, DR, DT, LB, NP
78	Liatris, 'Kobold Original' (Qt.)	Liatris spicata `Kobold Original'	P3	BF, DF, DR, DT, FP, LB, NP
79	Magnolia, Southern, `Bracken's Brown Beauty' (4Q)	Magnolia grandiflora `Bracken's Brown Beauty'	P5	DR, EG, F, FP, NP
80	Milkweed, Common (Qt.)	Asclepias syriaca	P3	BF, DR, FP, HB, LB, M, MT, NP
81	Moss, Desert, `Wallowa Mountains' (Qt.)	Arenaria speciosa `Wallowa Mountains'	P4	DT, FP, NP, RG
82	Moss, Sphagnum (Sandwich Container)	Sphagnum flexuosum	P5	FP, M, MT, NP
83	Mountain Mint, Narrow-Leaved (Qt.)	Pycnanthemum tenuifolium (flexuosum)	P4	DF, DR, F, NP
84	Mountain Mint, Short-Toothed (Qt.)	Pycnanthemum muticum	P3	C, DF, DR, F, NP
85	New Jersey Tea (2Q)	Ceanothus americanus	P3	BF, C, D, M, NP
86	Nodding Ladies' Tresses, Fragrant (Qt.)	Spiranthes cernua odorata	P3	F, FP, MT, NP, WG
87	Obedient Plant, 'Pink Bouquet' (Qt.)	Physostegia virginiana `Pink Bouquet'	P4	BF, DR, FP, HB, LB, MT, NP
88	Partridgeberry (Qt.)	Mitchella repens	P4	C, GC, M, NP, WG
89	Passion Flower, American (Qt.)	Passiflora incarnata	P6*	C, FP, O, M, NP, VN
90	Penstemon, Pine-Leaf, 'Mersea Yellow' (Qt.)	Penstemon pinifolius `Mersea Yellow'	P4	BF, DR, DT, FP, HB, NP, RG
91	Penstemon, Rocky Mountain (Qt.)	Penstemon strictus	P4	BF, DR, DT, FP, HB, NP, RG

	A	B	C	D
1	Common - (Quote)	Botanical	Hardiness	Uses
92	Phlox, Creeping, 'Sherwood Purple' (Qt.)	Phlox stolonifera `Sherwood Purple'	P3	BF, DR, FP, GC, LB, MR, NP
93	Phlox, 'Jeana' (Qt.)	Phlox paniculata `Jeana'	P4	BF, DR, F, HB, LB, MR, NP
94	Phlox, Meadow, Native (Qt.)	Phlox maculata	P4	BF, FP, LB, MR, NP
95	Pitcher Plant, Cobra, 'Scarlet Belle' (Qt.)	Sarracenia `Scarlet Belle'	P5	FP, IU, MT, NP
96	Pitcher Plant, Purple (Qt.)	Sarracenia purpurea	P2	FP, IU, M, MT, NP
97	Pitcher Plant, Red Trumpet, 'Judith Hindle' (Qt.)	Sarracenia leucophylla `Judith Hindle'	P6	FP, IU, MT, NP
98	Pitcher Plant, 'White Trumpet' (Qt.)	Sarracenia leucophylla	P6	FP, IU, LB, MT, NP
99	Primrose, Evening (Qt.)	Oenothera biennis	B4	C, DR, DT, F, LB, M, NP
100	Primrose, Missouri (Qt.)	Oenothera macrocarpa (missouriensis)	P4	DR, DT, FP, LB, NP, WG
101	Pussy Toes, Pink (Qt.)	Antennaria dioica `Rubra'	P5	DF, DR, DT, FP, GC, NP, RG
102	Ramps (Qt.)	Allium tricoccum	P3	C, DR, MT, NP, WG
103	Rattlesnake Plantain, Downy (Qt.)	Goodyera pubescens	P4	DR, FP, NP, M
104	Rudbeckia, Giant, 'Dumbo's Ears' (Qt.)	Rudbeckia maxima	P5	BF, CF, DT, DR, FP, LB, NP
105	Rudbeckia, Narrow-Leaved (Qt.)	Rudbeckia triloba	P4	BF, DT, FP, LB, NP
106	Rush, Corkscrew, 'Squiggly Wiggly' (Qt.)	Juncus effusus `Squiggly Wiggly'	P6	FP, MT, O, NP
107	Sage, White (Qt.) (Leaves used for purifying)	Salvia apiana	TP	F, IU, M, NP, O
108	Salvia, Azurea (Qt.)	Salvia azurea `Grandiflora'	P4	DR, DT, FP, LB, NP
109	Scullcap (Qt.)	Scutellaria laterifolia	P3	FP, M, NP
110	Sedge, Pennsylvania (Qt.)	Carex pennsylvanica	P3	DR, FP, GC, NP
111	Senna (Qt.)	Senna (Cassia) marilandica	P4	BF, D, DR, LB, M, NP
112	Spurge, Allegheny (Qt.)	Pachysandra procumbens	P5	DR, F, GC, MT, NP, O
113	Stokesia, 'Honeysong Purple' (Qt.)	Stokesia laevis `Honeysong Purple'	P5	BF, CF, DR, FP, NP
114	Stokesia, 'Klaus Jelitto' (Qt.)	Stokesia laevis `Klaus Jelitto'	P5	BF, CF, DR, FP, NP
115	Sundew, Thread-Leaf	Drosera filiformis (tracyii)	P6	FP, IU, MT, NP
116	Sunflower, Native, Ox-Eye (Qt.)	Heliopsis helianthoides	P4	BF, CF, DT, FP, LB, NP
117	Venus Fly Trap (4"R)	Dionaea muscipula	P6	FP, IU, MT, NP
118	Veronicastrum, 'Fascination' (Qt.)	Veronicastrum virginicum `Fascination'	P3	CF, DR, DT, FP, NP
119	Violet, Birdsfoot (Qt.)	Viola pedata	P4	FP, NP, WG
120	Wintergreen, 'Berry Cascade' (Qt.)	Gaultheria procumbens `Berry Cascade'	P3	C, DR, GC, M, NP, WG
121	Witch Hazel (Qt.)	Hamamelis virginiana	P3	FP, M, NP
122	Wormwood, Fringed (Qt.)	Artemisia frigida	P3	DR, DT, NP, RG
123	Yarrow, White (Qt.)	Achillea millefolium	P3	BF, DF, DR, DT, FP, LB, M, NP